

CALIFORNIA CONSUMPTIVE USE

Zone 14, Normal

Mid-Central Valley, Southern Sierra Nevada, Tehachepi, and High Desert Mountains

Crop	Planting Date	Harvest Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Max Daily	Yearly
			average	inches/day											in/day	in/year
(ET _o , Reference ET)	1 / 1	12 / 31	0.05	0.08	0.12	0.17	0.22	0.26	0.28	0.25	0.19	0.13	0.07	0.05	0.29	57
Alfalfa (annual)	1 / 1	12 / 31	0.05	0.08	0.12	0.17	0.22	0.26	0.28	0.25	0.19	0.13	0.07	0.05	0.29	57
Alfalfa (annual)	3 / 15	10 / 15			0.13	0.17	0.22	0.26	0.28	0.25	0.19	0.14			0.29	46
Almonds	3 / 1	10 / 15			0.08	0.13	0.19	0.26	0.29	0.26	0.19	0.11			0.30	45
Apple	4 / 1	11 / 15			0.11	0.16	0.23	0.28	0.26	0.20	0.12	0.07			0.29	42
Artichokes	7 / 1	5 / 1	0.05	0.07	0.11	0.13			0.19	0.20	0.16	0.11	0.06	0.05	0.20	34
Asparagus	1 / 1	12 / 31	0.01	0.03	0.09	0.17	0.22	0.26	0.28	0.25	0.19	0.13	0.07	0.04	0.29	53
Avocado	1 / 1	12 / 31	0.04	0.06	0.09	0.12	0.15	0.18	0.20	0.17	0.13	0.09	0.05	0.04	0.20	40
Bare Soil	1 / 1	12 / 31	0.06	0.09	0.13	0.18	0.23	0.27	0.29	0.26	0.20	0.13	0.08	0.05	0.30	60
Barley	4 / 30	8 / 31				0.08	0.23	0.32	0.17						0.33	24
Barley	10 / 14	6 / 2	0.05	0.09	0.14	0.16	0.10	0.04				0.04	0.02	0.03	0.18	19
Barley	11 / 1	5 / 31	0.05	0.09	0.14	0.17	0.10					0.02	0.02	0.18		18
Barley	11 / 15	7 / 4	0.03	0.08	0.14	0.20	0.22	0.12	0.05			0.02	0.02	0.24		25
Barley	11 / 30	5 / 31	0.03	0.08	0.14	0.18	0.11					0.02	0.20			17
Barley	12 / 16	8 / 4	0.02	0.04	0.12	0.20	0.25	0.26	0.13	0.05			0.02	0.29		31
Barley	12 / 31	5 / 31	0.02	0.06	0.14	0.19	0.12							0.21		16
Beans (dry)	4 / 1	7 / 31			0.03	0.17	0.26	0.24						0.29		21
Beans (dry)	4 / 30	8 / 18			0.05	0.23	0.28	0.20						0.29		20
Beans (dry)	5 / 1	8 / 15			0.05	0.23	0.28	0.19						0.29		20
Beans (dry)	6 / 15	9 / 30			0.05	0.14	0.25	0.17						0.27		18

CALIFORNIA CONSUMPTIVE USE

Zone 14, Normal

Mid-Central Valley, Southern Sierra Nevada, Tehachepi, and High Desert Mountains

Crop	Planting Date	Harvest Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Max Daily in/day	Yearly in/year
			average inches/day													
Beans (dry)	6 / 16	9 / 30					0.05	0.14	0.25	0.17					0.27	18
Beans (green)	3 / 1	5 / 31		0.03	0.14	0.21									0.23	12
Beets (table)	4 / 1	6 / 20			0.14	0.19	0.23								0.24	14
Broccoli	3 / 15	7 / 1		0.04	0.09	0.22	0.24								0.26	17
Carrots	1 / 15	5 / 15	0.05	0.07	0.12	0.16	0.18								0.18	14
Carrots	9 / 30	4 / 30	0.05	0.08	0.12	0.15					0.11	0.06	0.05		0.16	18
Celery	9 / 15	1 / 15	0.05							0.14	0.11	0.07	0.05		0.15	10
Cereal Grains	11 / 1	5 / 31	0.05	0.09	0.14	0.17	0.10					0.02	0.02		0.18	18
Citrus	1 / 1	12 / 31	0.04	0.05	0.08	0.11	0.15	0.17	0.19	0.16	0.13	0.09	0.05	0.04	0.19	38
Citrus (desert)	1 / 1	12 / 31	0.03	0.05	0.07	0.10	0.13	0.16	0.17	0.15	0.11	0.08	0.04	0.03	0.17	34
Corn (grain)	3 / 16	8 / 15		0.03	0.05	0.20	0.29	0.28	0.18						0.31	28
Corn (grain)	4 / 1	8 / 31			0.03	0.12	0.28	0.30	0.20						0.32	29
Corn (grain)	4 / 2	8 / 25			0.03	0.13	0.28	0.30	0.20						0.32	27
Corn (grain)	4 / 16	9 / 15			0.04	0.06	0.23	0.31	0.24	0.14					0.32	29
Corn (grain)	4 / 30	9 / 8				0.05	0.20	0.31	0.23	0.14					0.32	25
Corn (grain)	5 / 1	9 / 30				0.04	0.15	0.30	0.27	0.15					0.32	28
Corn (grain)	5 / 16	9 / 30				0.05	0.09	0.28	0.27	0.16					0.31	25
Corn (grain)	6 / 16	10 / 15					0.05	0.12	0.26	0.20	0.11				0.28	20
Corn (grain)	6 / 17	10 / 20					0.05	0.10	0.25	0.20	0.11				0.28	20
Corn (silage)	4 / 2	8 / 25			0.03	0.13	0.28	0.31	0.28						0.32	30

CALIFORNIA CONSUMPTIVE USE

Zone 14, Normal

Mid-Central Valley, Southern Sierra Nevada, Tehachepi, and High Desert Mountains

Crop	Planting Date	Harvest Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Max Daily in/day	Yearly in/year
			average inches/day													
Corn (silage)	4 / 30	9 / 8					0.05	0.20	0.31	0.27	0.23				0.32	27
Corn (silage)	5 / 1	8 / 15					0.06	0.24	0.31	0.28					0.32	23
Corn (silage)	6 / 17	10 / 20					0.05	0.10	0.25	0.21	0.15				0.28	21
Cotton	3 / 31	10 / 31				0.03	0.06	0.16	0.27	0.27	0.21	0.11			0.30	34
Cotton	4 / 1	9 / 30				0.03	0.07	0.19	0.30	0.27	0.17				0.32	32
Cotton	4 / 16	10 / 15				0.03	0.04	0.14	0.27	0.27	0.20	0.11			0.30	30
Cotton	5 / 1	10 / 15				0.04	0.10	0.24	0.27	0.20	0.11				0.29	28
Cotton	5 / 1	10 / 31				0.04	0.08	0.21	0.27	0.21	0.12				0.28	28
Crucifers	8 / 1	11 / 15							0.07	0.12	0.13	0.08			0.15	11
Cucumber	3 / 15	6 / 15		0.11	0.14	0.19	0.21								0.22	15
Eggplant	4 / 1	11 / 15		0.14	0.18	0.22	0.24	0.22	0.17	0.11	0.07				0.25	40
Evergreen	1 / 1	12 / 31	0.03	0.05	0.07	0.10	0.13	0.16	0.17	0.15	0.11	0.08	0.04	0.03	0.17	34
Grapevines	4 / 1	11 / 1		0.09	0.16	0.21	0.22	0.20	0.14	0.06					0.23	33
Kiwifruit	5 / 1	10 / 31				0.14	0.28	0.31	0.27	0.21	0.14				0.32	41
Lentil	6 / 15	9 / 30				0.05	0.21	0.25	0.13						0.28	19
Lettuce	3 / 15	7 / 15		0.11	0.14	0.18	0.22	0.24							0.24	21
Lettuce	8 / 31	12 / 31								0.15	0.10	0.06	0.04		0.17	11
Lettuce	10 / 31	3 / 31	0.05	0.07	0.10							0.06	0.04		0.12	10
Melon	2 / 15	6 / 30		0.07	0.10	0.16	0.21	0.23							0.24	22
Melon	3 / 16	7 / 31			0.11	0.14	0.20	0.25	0.25						0.27	27

CALIFORNIA CONSUMPTIVE USE

Zone 14, Normal

Mid-Central Valley, Southern Sierra Nevada, Tehachepi, and High Desert Mountains

Crop	Planting Date	Harvest Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Max Daily in/day	Yearly in/year
			average inches/day													
Melon	4 / 1	11 / 15				0.14	0.18	0.22	0.26	0.23	0.18	0.12	0.07		0.27	41
Melon	4 / 16	8 / 15				0.15	0.18	0.24	0.26	0.21					0.27	26
Millet	11 / 1	5 / 31	0.05	0.08	0.12	0.15	0.11						0.02	0.03	0.16	17
Oats	11 / 1	5 / 31	0.05	0.09	0.14	0.17	0.10					0.02	0.02	0.18		18
Olives	1 / 1	12 / 31	0.04	0.06	0.09	0.12	0.15	0.18	0.20	0.17	0.13	0.09	0.05	0.04	0.20	40
Onion (dry)	3 / 1	8 / 31			0.10	0.15	0.20	0.24	0.25	0.20					0.26	35
Onion (dry)	3 / 1	10 / 1			0.10	0.15	0.20	0.24	0.25	0.22	0.15				0.26	40
Onion (dry)	9 / 16	5 / 31	0.05	0.07	0.11	0.15	0.17				0.14	0.10	0.07	0.05	0.18	25
Onion (dry)	11 / 16	7 / 31	0.05	0.07	0.11	0.16	0.20	0.22	0.22				0.05	0.04	0.23	33
Onion (dry)	12 / 31	5 / 31	0.04	0.07	0.11	0.15	0.18								0.18	17
Onion (green)	3 / 1	8 / 1			0.10	0.14	0.18	0.22	0.25						0.25	27
Pasture	1 / 1	12 / 31	0.05	0.08	0.12	0.17	0.22	0.26	0.28	0.25	0.19	0.13	0.07	0.05	0.29	57
Pasture	11 / 1	5 / 31	0.05	0.08	0.12	0.17	0.22						0.07	0.05	0.24	23
Peas	3 / 1	5 / 31			0.04	0.15	0.21								0.24	12
Peppers	3 / 1	8 / 31			0.10	0.14	0.20	0.24	0.26	0.22					0.27	35
Potato	2 / 1	6 / 15		0.07	0.10	0.15	0.18	0.18							0.19	18
Potato	3 / 1	6 / 30			0.10	0.14	0.19	0.20							0.21	19
Potato	4 / 15	8 / 15				0.15	0.18	0.22	0.23	0.19					0.25	24
Potato	4 / 30	9 / 30					0.18	0.21	0.24	0.21	0.15				0.25	30
Potato	12 / 1	5 / 15	0.04	0.07	0.10	0.14	0.15							0.04	0.15	14

CALIFORNIA CONSUMPTIVE USE

Zone 14, Normal

Mid-Central Valley, Southern Sierra Nevada, Tehachepi, and High Desert Mountains

Crop	Planting Date	Harvest Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Max Daily in/day	Yearly in/year
			average inches/day													
Radishes	4 / 1	5 / 1				0.13									0.15	4
Rice	4 / 1	8 / 31				0.19	0.24	0.29	0.31	0.25					0.32	39
Rice	5 / 1	9 / 30				0.24	0.29	0.31	0.27	0.20					0.32	39
Rice	5 / 13	10 / 31				0.25	0.29	0.31	0.27	0.21	0.13				0.32	41
Safflower	4 / 1	7 / 31				0.04	0.19	0.29	0.22						0.31	22
Sorghum	2 / 28	7 / 31		0.02	0.03	0.12	0.24	0.28	0.21						0.29	27
Sorghum	3 / 31	8 / 31				0.04	0.15	0.28	0.30	0.19					0.32	29
Sorghum	4 / 1	11 / 15				0.03	0.08	0.21	0.31	0.27	0.20	0.11	0.05		0.32	38
Sorghum	5 / 13	9 / 29				0.05	0.13	0.30	0.27	0.15					0.32	26
Sorghum	5 / 31	10 / 31				0.06	0.19	0.27	0.21	0.10					0.29	25
Sorghum	6 / 17	10 / 27				0.05	0.12	0.26	0.21	0.10					0.28	21
Sorghum	7 / 1	10 / 31					0.07	0.22	0.21	0.11					0.26	18
Sorghum	7 / 30	11 / 30					0.05	0.07	0.17	0.14	0.06				0.20	13
Spinach	11 / 15	1 / 31	0.05									0.05	0.04	0.06	4	
Squash	1 / 15	4 / 15	0.03	0.06	0.10	0.12									0.12	7
Squash	8 / 31	12 / 31								0.10	0.09	0.06	0.04		0.11	9
Squash	12 / 31	4 / 30	0.03	0.06	0.10	0.13									0.14	9
Stone fruits	3 / 1	10 / 15				0.08	0.13	0.19	0.26	0.29	0.26	0.19	0.11		0.30	45
Strawberries w/mulch	5 / 1	9 / 30				0.05	0.12	0.19	0.17	0.13					0.20	20
Sugarbeet	1 / 29	8 / 25	0.01	0.02	0.05	0.15	0.24	0.29	0.30	0.25					0.32	38

CALIFORNIA CONSUMPTIVE USE

Zone 14, Normal

Mid-Central Valley, Southern Sierra Nevada, Tehachepi, and High Desert Mountains

Crop	Planting Date	Harvest Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Max Daily	Yearly
							average inches/day								in/day	in/year
Sugarbeet	2 / 1	8 / 31		0.02	0.05	0.14	0.24	0.29	0.31	0.25					0.32	39
Sugarbeet	3 / 1	11 / 1			0.02	0.06	0.15	0.27	0.31	0.27	0.20	0.13			0.32	43
Sugarbeet	3 / 15	9 / 30			0.03	0.05	0.15	0.28	0.31	0.27	0.19				0.32	38
Sugarbeet	3 / 16	9 / 15			0.03	0.05	0.17	0.28	0.31	0.26	0.20				0.32	36
Sugarbeet	4 / 2	12 / 31				0.03	0.06	0.15	0.25	0.27	0.21	0.14	0.08	0.05	0.29	38
Sugarbeet	5 / 1	12 / 15					0.04	0.09	0.21	0.26	0.21	0.14	0.08	0.05	0.28	32
Sugarbeet	6 / 16	3 / 15	0.06	0.08	0.11		0.05	0.06	0.10	0.14	0.13	0.08	0.06	0.15	24	
Sugarbeet	6 / 30	4 / 30	0.06	0.09	0.13	0.17		0.06	0.06	0.10	0.10	0.08	0.06	0.18	27	
Sugarbeet	9 / 30	6 / 30	0.05	0.09	0.13	0.19	0.24	0.26			0.03	0.02	0.03	0.26	31	
Sunflower	5 / 1	9 / 10				0.05	0.19	0.31	0.24	0.11					0.32	25
Tomato	1 / 31	6 / 30	0.02	0.06	0.18	0.25	0.23								0.28	23
Tomato	2 / 15	5 / 31	0.03	0.06	0.19	0.21									0.24	14
Tomato	2 / 26	8 / 11	0.03	0.04	0.08	0.23	0.30	0.29	0.19						0.32	31
Tomato	3 / 1	8 / 15		0.04	0.07	0.22	0.30	0.30	0.20						0.33	31
Tomato	3 / 23	8 / 2			0.04	0.05	0.19	0.30	0.27	0.18					0.32	25
Tomato	4 / 1	8 / 31				0.05	0.11	0.28	0.32	0.23					0.33	30
Tomato	4 / 2	9 / 8				0.05	0.10	0.26	0.32	0.25	0.15				0.33	31
Tomato	4 / 30	9 / 22					0.07	0.14	0.31	0.28	0.17				0.33	28
Tomato	5 / 1	9 / 15					0.07	0.15	0.31	0.27	0.16				0.33	27
Tomato	6 / 3	9 / 29					0.08	0.19	0.28	0.18					0.31	22

CALIFORNIA CONSUMPTIVE USE

Zone 14, Normal

Mid-Central Valley, Southern Sierra Nevada, Tehachepi, and High Desert Mountains

Crop	Planting Date	Harvest Date	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Max Daily	Yearly
			average inches/day												in/day	in/year
Turfgrass, Cool Season	1 / 1	12 / 31	0.04	0.07	0.10	0.14	0.18	0.21	0.22	0.20	0.15	0.10	0.06	0.04	0.23	46
Turfgrass, Cool, CIT	1 / 1	12 / 31	0.03	0.05	0.10	0.16	0.22	0.25	0.26	0.22	0.16	0.10	0.05	0.03	0.27	50
Turfgrass, Cool, CIT, Adj	1 / 1	12 / 31	0.03	0.04	0.08	0.13	0.17	0.20	0.21	0.17	0.12	0.08	0.04	0.03	0.22	40
Turfgrass, Warm Season	1 / 1	12 / 31	0.03	0.05	0.07	0.10	0.13	0.16	0.17	0.15	0.11	0.08	0.04	0.03	0.17	34
Turfgrass, Warm, CIT	1 / 1	12 / 31	0.03	0.05	0.09	0.13	0.17	0.19	0.21	0.17	0.13	0.08	0.05	0.03	0.21	40
Turfgrass, Warm, CIT, Adj	1 / 1	12 / 31	0.02	0.04	0.07	0.10	0.13	0.16	0.17	0.14	0.10	0.07	0.04	0.02	0.17	32
Walnuts	4 / 1	11 / 15			0.11	0.16	0.23	0.28	0.26	0.20	0.12	0.07			0.29	42
Wheat	10 / 14	6 / 2	0.05	0.09	0.14	0.16	0.10	0.04				0.04	0.02	0.03	0.18	19
Wheat	11 / 1	5 / 31	0.05	0.09	0.14	0.17	0.10					0.02	0.02	0.03	0.18	18
Wheat	11 / 15	7 / 4	0.03	0.08	0.14	0.20	0.22	0.12	0.05			0.02	0.02	0.02	0.24	25
Wheat	12 / 16	8 / 4	0.02	0.04	0.12	0.20	0.25	0.26	0.13	0.05			0.02	0.02	0.29	31
Wheat	12 / 31	5 / 31	0.02	0.06	0.14	0.19	0.12								0.21	16