January 2020

Irrigation and Nitrogen Management Training

for Grower Irrigation and Nitrogen Management Plan Self-Certification



UNIVERSITY OF CALIFORNIA Agriculture and Natural Resources



Irrigation and Nitrogen Management Training for Grower INMP Self-Certification

Original Presentation Developed By:

- University Of California, Davis
 - Patrick Brown
 - Daniel Geisseler
 - Allan Fulton
 - Tim Hartz
 - Stuart Pettygrove
 - Terry Prichard
 - Larry Schwankl
 - Carol Frate
 - Marsha Campbell Mathews

- Gabriele Ludwig, Almond Board of CA
- Asif Maan, CASS
- Rob Mikkelsen, IPNI
- Jerome Pier, Crop Production Services
- Sebastian Saa, Almond Board of CA

Table of Contents

Introduction

Sections

- 1: Overview of nitrogen and groundwater quality issues
- 2: Nitrogen in crop production systems
- 3: Nitrogen fertilizers and management
- 4: Efficient irrigation management
- 5: Efficient nitrogen management
- 6: Irrigation and Nitrogen Management Plan and Summary Report
- 7: Resources

Irrigated Lands Regulatory Program (ILRP)

- Managed by the Regional Water Quality Control Board
- Applies to all growers who irrigate commercial crops
- Board uses Waste Discharge Requirements (WDR) to specify what growers and coalitions must implement to protect groundwater and surface water.



Regulations: Waste Discharge Requirements

- Growers with irrigated lands must either join regional coalitions or meet WDR requirements individually.
- Coalition Tasks in the Central Valley:
 - Groundwater quality assessments and plans
 - Monitoring long term groundwater quality trends
 - Assess which BMPs protect groundwater quality
 - Surface water quality monitoring
 - Compilation of data submitted by growers and reports to Regional Water Board

Regulations: Waste Discharge Requirements

- Growers are responsible for:
 - Attending one outreach event (yearly)
 - Farm Evaluation Survey (5 years)
 - (kept on farm)
 - Sediment and Erosion Management Plans
 - Where needed (kept on farm)
 - Irrigation and Nitrogen Management Plans
 - Yearly (kept on farm)
 - Irrigation and Nitrogen Management Plan Summary Report
 - Yearly (submitted to Coalition)

Certifying Irrigation and Nitrogen Management Plans

- Options for certification:
 - Certified Crop Adviser with Nitrogen Management Training
 - Certified Professional Soil Scientist
 - Certified Professional Agronomist
 - Technical Service Providers
 - Certified Agricultural Irrigation Management Specialists
 - Grower Self-Certification (owned or managed fields only)

Grower Self-Certification Requirements

- Nitrogen Management Plan Certification Training
 - 4 hours
 - Passing grade (70%) on test*
- Certification Period
 - 3 years
- Re-certification
 - Continuing education required
 - 3 hours in 3-year time period beginning January 1

* Test can be taken multiple times

Irrigation and Nitrogen Management Plan Certification Training

- Project administered by the Coalition for Urban Rural Environmental Stewardship (CURES)
- Certification presentations are by Certified Crop Advisors (CCA) who have completed the UC/CDFA Nitrogen Management Program as a trainer
- Coalitions facilitate the training meetings

Irrigation and Nitrogen Management Plan Certification Training

- Regulatory Oversight of Grower Trainings
 - Water Board has approved this INMP training approach
 - CDFA and the Coalitions will audit presentations at grower trainings to ensure professionalism by CCAs

Irrigation and Nitrogen Management Plan Certification Training

- Provide information for
 - Efficient use of nitrogen fertilizers
 - Minimize environmental impacts
 - Meet Regulatory compliance requirements
 - Irrigation and Nitrogen Management Plan
 - Irrigation and Nitrogen Management Summary Report

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Member ID:	INMP Field or MU:	Crop:	Total Acres:					
IRRIGATION MANAGEMENT								
1. Irriga	tion Method*	Pre-Season Planning						
one for S Primary Secondary	ry; if applicable, check iecondary)	2. Crop Evapotranspiration (ET, inches)						
	Drip Micro Sprinkler Furrow Sprinkler	3. Anticipated Crop Irrigation (inches)						
	Border Strip Flood	 Irrigation Water N Concentration (ppm or mg/L, as NO3-N) 						
5. Irrigation Efficiency Practices* (Check all that apply)								
Laser Leveling Soil Moisture Neutron Probe Use of ET in scheduling irrigations Pressure Bomb Water application schedule to need Other								
	Harvest / Yield Information							
6. Production Unit (lbs, tons, etc.)		7. Harvested Yield*						
NITROGEN MANAGEMENT								
		NITROGEN MANAGEMENT						
	ciency Practices* II that apply)	NITROGEN MANAGEMENT Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)				
	ll that apply)							
(Check a	II that apply) plications	Nitrogen Sources 9. Soil – Available N in Root Zone						
(Check a	II that apply) plications I Testing	Nitrogen Sources 9. Soil – Available N in Root Zone (Annualized, Ibs/ac) 10. N in Irrigation Water*						
(Check a	II that apply) plications I Testing sting	Nitrogen Sources 9. Soil – Available N in Root Zone (Annualized, Ibs/ac) 10. N in Irrigation Water* (Annualized, Ibs/ac) 11. Organic Amendments*						
(Check a	II that apply) plications I Testing sting on plications using GPS	Nitrogen Sources 9. Soil – Available N in Root Zone (Annualized, Ibs/ac) 10. N in Irrigation Water* (Annualized, Ibs/ac) 11. Organic Amendments* (Manure/Compost/Other, Ibs/ac estimate)						

¹ A secondary irrigation system could be used for crop germination, frost protection, crop cooling, etc. *(Bold Text) Data to be reported to the Coalition on the INMP Summary Report, based on Actual Yield and Actual N.

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) SUMMARY REPORT

Refer to your Irrigation and Nitrogen Management Plan (INMP) Worksheet and Parcel Inventory for information to complete an INMP Summary. Report for each field or Management Unit.

STEP 1: GENERAL INFORMATION	STEP 2: OUTLIER NOTIFICATION RECEIPT	STEP 3: INMP CERTIFICATION METHOD		
Member ID:	The Coalition provided information about this membership's nitrogen efficiency for the	Certified INMP Specialist (e.g. certified crop adviser who has completed the CDFA		
Forms	previous crop year and identified management units that were considered outliers compared	training program)		
Completed By:	to other Coalition members growing the same crop.	Self-Certified (CDFA training program)		
Crop Year		Self-Certified (follows NRCS or UC		
(Harvested):	Please check the box below if you were identified as an outlier by the Coalition.	Cooperative Extension site-specific recommendations)		
		Self-Certified (No fertilizers applied)		

STEP 4: INMP SUMMARY REPORT

Complete the table below for each field or management unit for this membership. All values should be on a per acre basis.

Field or Management Unit	Сгор	Crop Age	Total Irrigated Acres	Total N Applied Lbs/acre				Yield	Prod. Unit	Yield Info*
Refer to Parcel Inventory		Perennial only (years)	(acres)	N in Irrigation Water (Ibs/acre)	Organic Amendments (Ibs/acre)	Dry/Liquid Fertilizers (Ibs/acre)	Foliar Fertilizers (lbs/acre)	Harvested Yield (Ibs/acre or tons/acre)	(lbs or tons)	
									1	

*Use this column to provide information about yield i.e. nonbearing; crop not harvested; type of harvest (e.g. silage, grain). If you harvest straw, please contact your Coalition.

Overview of Nitrogen and Groundwater Quality Issues

Section 1

Section 1 Learning Objectives


- Recognize how nitrate became a problem
- Recall areas that are more vulnerable to nitrate contamination.
- List the sources of nitrogen.
- Distinguish between the different ways to measure nitrate in the groundwater.

How Did Nitrate Become a Problem?

- In nature, nitrogen (N) cycles through soil, water, and plants at low concentrations (approx. 2ppm).
- Agriculture requires high N input to produce profitable crops which increases soil N concentrations.
- Inefficiency of irrigation and N applications leads to nitrate leaching losses.

Why is Shallow Groundwater Most Affected?

- Nitrate (NO₃⁻) is an anion (negatively charged) and is not retained by the soil. It moves with water.
- Water moving below the root zone can carry nitrate with it.
- After years of downward flow with water, nitrate eventually reaches the aquifer.
- The *closer* the groundwater is to the source, the sooner nitrate will reach the groundwater.



Nitrate. What is the Problem?


- Nitrate in Drinking Water
 - Federal/CA Maximum Contaminant Level (MCL) is 10 ppm Nitrate expressed as NO₃–N
 - MCL was determined by US EPA, "to prevent methemoglobinemia in infants"
 - Concentrations in drinking water of some CA aquifers exceed this level.
 - CA State Water Resources Control Board noted that 8% of drinking water wells exceed the nitrate threshold.

Nitrate Problem Areas in California


Areas with shallow groundwater and intensive agriculture are vulnerable to nitrate contamination

Above MCLBelow MCL

(Maximum Contaminant Level)




Where is nitrogen coming from in California?



Data from Salinas Valley and Tulare Lake Basin

Of the total N inputs where is nitrogen going in California?



Data from Salinas Valley and Tulare Lake Basin

Dealing with Nitrate Pollution

- No inexpensive method exists to remove nitrate once it is in water
- Source control: Accounting for all the sources of nitrogen in the system leads to more efficient use of nitrogen and fertilizer products.
 - Sources of nitrogen:
 - Mineralization of organic nitrogen
 - Residual soil nitrogen
 - Nitrogen in irrigation water
 - Nitrogen fertilizers

Measuring Nitrate Concentrations

Preferred Unit Maximum contaminant levels


Measuring Nitrate-N:

10 ppm NO₃⁻-N (measures only the N in the Nitrate)



Measuring Nitrate:

45 ppm NO₃ (measures **N + O₃**)




Nitrogen in Crop Production Systems

Section 2

Section 2 Learning Objectives


- Identify the parts of the nitrogen cycle and recognize conditions that favor each process
 - Mineralization
 - Nitrification
 - Plant uptake
 - Microbe uptake (Immobilization)
 - Volatilization
 - Denitrification
 - Leaching

Overview of the nitrogen cycle



Mineralization

A microbial process that converts **organic** N to plant available **inorganic** N in the form of ammonium (NH₄⁺)



Soil Organic Matter

- Soil organic matter consists of fresh residues, partially decomposed organic materials, and humus
- Soil organic matter stores soil carbon and nutrients in the soil
- The process of N release from soil organic matter is driven by microbes
 - Carbon and nutrients are taken up as microbes grow then they are released as mineral N upon death (mineralization).


Mineralization

Organic N to Mineral N

- Carbon-to-Nitrogen ratio (C:N) of organic materials is one of the main factors controlling mineralization rates.
- Environmental conditions such as , tillage (aeration), temperature, and moisture enhance mineralization rates.

Nitrification


A microbial process that converts **ammonium** (NH_4^+) to **nitrate** (NO_3^-)




Nitrification Ammonium \rightarrow Nitrate

- Ammonium is used as an energy source by bacteria resulting in the production of nitrate
 - Nitrate is readily available for plant uptake
- Process enhanced by warm, moist, and well aerated soils

Nitrification: How Quickly Does it Occur?




Ammonia Volatilization




Ammonia Volatilization

The loss of gaseous ammonia (NH3) to the atmosphere

- Materials where ammonia gas is present or is a result of their breakdown include fresh manure, ammonia injections, urea, and UAN
- Conditions that favor volatilization
 - Lack of soil incorporation
 - Dry soil (low moisture content)
 - Coarse-textured soils (sandy)
 - High pH soils/water



Denitrification



Denitrification


Anaerobic reduction of $NO_3 \rightarrow N_2O$, NO, and N_2 gas

- Occurs under warm, anaerobic conditions
 - Most significant in wetlands and rice paddies
- In irrigated agriculture most N loss occurs during a brief period when the soil is warm, wet, and high in nitrate (i.e. fertigation)
- Of the N losses denitrification is potentially the smallest

(1-4 lbs N/acre per irrigation or rain event)

Nitrate Leaching


Loss of nitrate (NO_3^{-}) from the soil due to irrigation or rain. Greatest loss potential of nitrogen from the soil



Nitrate Leaching Movement of nitrate below the root zone


- Reasons why nitrate can leach:
 - Nitrate (NO₃⁻) is negatively charged, so it is not held by the soil particles because they are also negatively charged
 - Poor management practices such as applying excess N and irrigation water and not matching application timing with crop demand

Nitrogen Cycle- Microbes




Immobilization

Microbes incorporate mineral N from soil solution into organic compounds in their cells



Immobilization Mineral N to Organic N

- Microbe uptake of nitrate is very efficient.
- If a high carbon energy source is available, and temperature/moisture conditions are favorable Microbe N uptake can cause crops to be N deficient



Organic Matter Decomposition in Soils

- Decomposition rates depend on the source:
 - Main Sources: Plant residues (crops, cover crop, compost) and animal manure
 - Sources contain different organic carbon compounds depending on crop residue type and age


1. Sugars, Starches	Rapid decomposition
2. Proteins	
3. Hemicellulose and cellulose	V
Woody tissues (lignin)	Slow decomposition

Organic Matter C:N Ratios

Material	% C	% N	C:N	
Sawdust	50	0.05	600	Slow Decomposition
Wheat Straw	38	0.5	80	/Favors Immobilization
Corn residue	40	0.7	57	
Rotted Manure	41	2.1	20	← 20:1 (2% N)
Broccoli Residues	35	1.9	18	Rapid Decomposition
Vetch Cover Crop	40	3.5	11	/Favors Mineralization
Soil Bacteria	50	10	5	ł


Generally: A C:N ratio of **20:1** (2% N) is the dividing line between **mineralization** (immediate release) and **immobilization** (N binding and subsequent release).

Nitrogen Cycle- Fertilizer Inputs and Crop Removal



Nitrogen Cycle –Plant Uptake

- Ammonium is only available in soils for short periods of time until converted to nitrate.
- Therefore, on a whole the most N form taken up is nitrate.




Nitrogen Assimilation

- Nitrogen assimilation is the formation of organic nitrogen compounds like amino acids from inorganic nitrogen compounds
 - Assimilation drives plant N uptake
 - Plants only assimilate the needed amount plus a small amount of "luxury consumption" ~10-15% of total N
 - Thus N available in the soil, that is in excess of plant needs, may be leached to groundwater

Nitrogen and Crop Productivity


- Nitrogen availability generally limits crop productivity until adequacy is reached, then response to N plateaus
 - Fertilization past a level of adequacy does not increase productivity Response to Mobile Nutrients



Nitrogen in Plants

N in Excess of Demand is Inefficiently Used


Effect of Nitrogen Rate on Leaf N in Almond (129 days after bloom)




Nitrogen in Plants

Excess N Example


Almond Hull Rot Incidence as N Increases




Nitrogen Cycle Review – Mineralization and Nitrification



Nitrogen Cycle Review –Plants and Microbes



Nitrogen Cycle Review - losses



Nitrogen Fertilizers and Management

Section 3

Section 3 Learning Objectives

- Recognize the different categories of nitrogen fertilizers and their composition
- Identify their potential for N loss


Nitrogen Source Groups

- Ammonium-forming fertilizers
 - Form ammonium on reaction with soil moisture or by urease conversion
- Ammonium fertilizers
- Nitrate fertilizers
- Combination fertilizers
- Organic materials
 - Release mineral N over time through microbial activity

Ammonium-forming Fertilizers Anhydrous ammonia

 When AA contacts water or moist soil, it forms ammonium and hydroxyl ions raising the pH around the application site

$$NH_3 + H_2O \rightarrow NH_4^+ + OH^-$$





Volatilization of Anhydrous Ammonia How large can losses be?

- In a field trial conducted by UC Davis to quantify ammonia volatilization loss from water run AA, they found that:
 - Ammonia volatilization averaged 30% of applied N over the whole field
 - Ammonium concentration declined down the length of the furrow by more than 50%
 - Poor N application uniformity

Ammonium-forming Fertilizers Urea

- Highly soluble and uncharged
 - Moves freely through soil with water
- Enzymatic breakdown of urea in the soil produces NH₄⁺ and bicarbonate
 - Bicarbonate increases soil pH
- Rate of hydrolysis increases with temperature and decreases under high application rates

$$\begin{array}{c} & & & \\ & & & \\ & & & \\$$

Volatilization of Urea How large can losses be?

- When urea is surface applied and not incorporated volatilization losses can be high
 - Up to 30% loss in 14 days without rainfall or irrigation
- Factors that increase volatilization
 - Surface application without incorporation or irrigation
 - High temperature and wind speed
 - Low soil buffering capacity (sandy soils)
 - High pH soils

Ammonium Fertilizers

- Ammonium sulfate $[(NH_4)_2SO_4]$ (21-0-0)
- Ammonium/phosphorus combinations
 - Monoammonium phosphate (MAP)
 - Diammonium phosphate (DAP)
 - Ammonium polyphosphate (10-34-0)
- Ammonium fertilizers are temporarily resistant to leaching until converted to nitrate
 - Short timeframe especially in warmer weather

Nitrate Fertilizers

- Potassium nitrate
- Calcium nitrate (CN-9)
- Nitrate is negatively charged and moves with the water front
 - Most susceptible to N loss via leaching

Combination Fertilizers

- Combination fertilizers can provide a rapid availability of nitrate and a continued supply as the ammonium is converted to nitrate.
- Ammonium nitrate (NH₄NO₃)
- Calcium ammonium nitrate (CAN-17)
 - 17% N (32% of N as ammonium, 68% as nitrate)
- Urea ammonium nitrate (UAN) solutions
 - 32% N (50% as urea, 25% ammonium, 25% nitrate)
 - different concentrations (UAN-28, UAN-32, etc.)


Organic Materials

- Organic materials differ from mineral fertilizers by the rate that N mineralizes and becomes plant available
- Sources
 - Manure and other animal byproducts
 - Cover crops, compost and green waste
- Contains both
 - Mineral N (immediately available) NH₄ and NO₃
 - Organic N (slowly available after microbial conversion)

Controlled Release Fertilizers

The release of nutrients can be controlled using an organic coating on fertilizers

- Benefits
 - Can slow the transformation of NH4⁺ to NO₃⁻
 - May reduce leaching potential compared to preplant or single sidedress systems
- Drawbacks
 - Higher cost per unit of N
 - Match between N release and crop N uptake is often imperfect
 - Temperature dependent



Section 3 Summary

- Selecting the appropriate N source for the crop / irrigation management situation can lead to the greatest nitrogen use efficiency.
- Reducing nitrogen losses from:
 - Volatilization
 - Denitrification
 - Runoff
 - Leaching

Efficient Irrigation Management


Section 4


Section 4 Learning Objectives

- Describe the three steps to becoming a more efficient irrigator
 - Proper irrigation scheduling
 - Measure applied water
 - Design and maintain high performing irrigation systems
- Recall what causes non-uniformity in irrigation systems and identify methods to address nonuniformity
- Identify proper methods for fertigation timing and length of injection

Irrigating Efficiently


- Requires supplying the crop water needs while minimizing irrigation losses:
 - Percolation of water below the root zone
 - Runoff of water
- Successful nitrogen management depends on efficient irrigation management
 - Excess applied water can cause nitrogen runoff or leaching to ground waters





Proper Irrigation Scheduling Deciding When to Irrigate and How Much to Apply?

• Scheduling aids include measurements of plant water status, soil water status or content and using weather to estimate crop water use.




Irrigation Scheduling Plant Monitoring Approach

 Measure signs of plant water stress to Indicate when to irrigate



Pressure Chamber

• Measures stem water potential, a level of plant water stress, which if used with critical level information can tell you **when** to irrigate.



Pressure Chamber Example


Reading (-bars)	Walnut	Almond
-6.0 to -8.0	Mild to moderate stress, can affect shoot growth	Low stress, ideal conditions for shoot growth
-10.0 to -12.0	High stress, wilting of leaves, reduced nut size, defoliation	Mild to moderate stress
-14.0 to -18.0	Severe stress, defoliation and dying trees	Moderate stress, suggested during hull split

Irrigation Scheduling Soil Monitoring Approach

• Estimates **available water** in the root zone by measuring how tightly water is held in the soil (water tension) or by estimating water content



Soil Moisture Monitoring Devices




Deciding When to Irrigate

- To minimize water stress to the plant, irrigation should occur prior to stored soil a moisture depletion level
- Generally assume allowable depletion of 50% of the available root zone moisture

Irrigation

Trigger




Tensiometer Reading Example

Tension	Sand/ Loamy Soil	Sandy Loam	Loam/ Silt Loam	Clay Loam /Clay
(centibars)	Depletion of	Depletion of the Plant-Available Water (%)		
10	0	0		
30	40	25	0	0
50	65	55	10	10
70	75	60	25	20
90	80	65	35	25
110	85	68	40	32
130	87	70	47	38
150	90	73	52	43
170	95	76	55	46
190	98	79	58	49


Dielectric Sensor Reading Example

Root zone moisture summation reading as a result of: crop water use and irrigation



Irrigation Scheduling Weather Monitoring Approach

 Climatic conditions including solar radiation, temperature, humidity, wind speed, drive plant water use (ETc)



Estimating Crop Water Use (ETc)

- ETc = Crop Water Use
- **ETo** = Reference Evapotranspiration
 - Provided by CIMIS network of nearly 100 weather stations throughout California
- Kc Crop Coefficient
 - Ratio at which the crop uses water compared to the reference crop (pasture grass)
 - Dependent on crop size and age

$$ET_c = ET_o \times K_c$$

CIMIS and ETo



- CIMIS provides realtime and historic ETo estimates
- California has 18 reference zones that vary due to climatic factors

ET Information

- Monthly normal or historical averages can be used for planning irrigations.
- However, each season has some variability in water use and can be accounted for by using current year information available though the CIMIS program then adjusting irrigations appropriately.

Crop Coefficients (Kc)

- For annual crops Kc's are closely related to the plant coverage which increases from planting over the season until fresh harvest or declines with late harvested crops.
- For trees and vines Kc's increase beginning at leaf out and decline towards leaf drop. Kc's can be over 1.0 due to their tall stature and being planted in rows.

Crop Water Use (ETc)

Example: Historical Monthly ETo, Almond ET Zone 12

	Кс	ЕТо	ETc
Mar	0.62	3.41	2.11
Apr	0.80	5.10	4.09
May	0.94	6.82	6.44
Jun	1.05	7.80	8.20
Jul	1.11	8.06	8.93
Aug	1.11	7.13	7.90
Sept	1.06	5.40	5.73
Oct	0.92	3.72	3.41
Nov	0.69	1.80	1.23
	-	•	47.43

Meeting Crop Water Use (ETc)

- Stored Soil Moisture
 - Plant-available at the beginning of the season as a result of rainfall or off-season irrigation (measured or estimated)
 - In-season effective rainfall
 - Rainfall that is stored in the root zone
- Applied Irrigation Water


= Crop Water Use (ETc) - $\frac{\text{Stored Soil Moisture}}{2}$ - Effective Rainfall

Estimating Stored Soil Moisture

- Root Zone Water-Holding Capacity
 - Controlling factors:
 - Soil texture and structure
 - Depth of root zone
- Effective Winter Rainfall
 - Controlling factors:
 - Rainfall Amount
 - Environmental (climate) evaporative demand

Water stored in the rootzone cannot exceed the total root zone water holding capacity

Capacity of the Soil to Store Water



Estimating Effective Winter Rainfall

- In the beginning of the growing season, perennial crops as well as early planted annuals water requirements can often be met by:
 - Stored soil moisture from non-growing season rainfall
 - In-season rainfall
- Effective Winter Rainfall relies on the use of total monthly rainfall and monthly ETc during the non-growing season

Effective Winter Rainfall = Monthly Rainfall – Monthly ETc

Example

Monthly Rainfall - Monthly ETc = Effective Winter Rainfall

ET Zone 12 Merced 2016

	Monthly	Monthly	Effective
	Rainfall (in)	ETc (in)	Rainfall (in)
Nov 16-30	0.92	0.61	0.31
Dec	2.23	0.40	1.83
Jan	2.75	0.50	2.25
Feb	2.36	0.81	1.55
Total			6.0

Estimating Stored Soil Moisture From Winter Rainfall Example

- Almond orchard in Merced
 - clay loam soil available water holding capacity = 2.0 in/ft
 - 4ft crop rooting depth
 - total effective winter rainfall = 6.0 in

- 6.0 in of rainfall will be stored in the soil
 - Only about ½ of the available 6.0 in can be used before inducing crop stress therefore 3.0 in (6.0 / 2) can be used for scheduling
 - If post harvest irrigation or frost protection water was applied, it should be added up the 8.0 inch maximum

In-Season Effective Rainfall

 In-season rainfall, that enters and is stored in the root zone, called effective rainfall, should be accounted for when scheduling irrigation

Effective Rainfall (in) = [Rainfall from event(in) – 3 days ETo after event(in)] x 0.75

In-Season Effective Rainfall Example

- Merced CIMIS Station 148, April 8–10, 2016:
 - Rainfall from event: 2.65 in.
 - ETo April 11-13: 0.5 inches

Effective Rainfall (in) = $(2.65 \text{ in} - 0.5 \text{ in}) \times 0.75 = 1.6 \text{ in}$

Irrigation Scheduling

Using stored winter rainfall and in-season effective rainfall

	ETc	=	In-Season rainfall (in)	Stored Moisture (in)	Irrigation Application (in)
Mar	2.1		2.1	0	0
Apr	4.1		1.6	1	1.5
May	6.4		0	1	5.4
Jun	8.2		0	1	7.2
Jul	8.9		0		8.9
Aug	7.9		0		7.9
Sep	5.7		0		5.7
Oct	3.4		0		3.4
Nov 1-15	0.6		0		0.6

Season 47.3 =	3.7	3.0	40.6
----------------------	-----	-----	------

Applying the Irrigation

- Monthly irrigation amounts should be scheduled based on:
 - A frequency to minimize plant water stress
 - A duration based on water infiltration characteristics and irrigation system application rate

Irrigation System	Typical Frequency During Peak Water Demand
Drip	Daily
Microsprinklers	3-4 days
Sprinklers	10-14 days
Furrow	14+ days

Meeting Crop Water Use (ETc) Micro-irrigation System Example

Almonds on micro sprinklers for July near Modesto

1. Determine Irrigation Frequency : every 4 days

2. Determine Crop Water Use ETc

historical ET July 1-31 = 8.9 in

8.9 in. ÷ 31 days = 0.29 in/day

3. Determine Application Amount

0.29 in/day x 4 days = 1.15 in

Meeting Crop Water Use (ETc) How long to run the system?

 Need to know the system application rate (in/hr) in order to know how long to run the system

• Hours of operation =
$$\frac{inches \ of \ water \ use \ (ETc)}{application \ rate \ (\frac{in}{hr})}$$




 $\frac{1.15 \text{ inches of water use } (ETc)}{0.05 \text{ application rate } (\frac{in}{hr})} = 23 \text{ hours}$

Determining Applied Water Gallons per Acre (gal/acre)

- Flow meter
 - Meter flow rate x time of operation / acres
- Pump Test
 - Pump flow rate x time of operation / acres

*Flow rate and time of operation must be in the same time unit





Determining Applied Water Gallons per Acre (gal/acre)

- Emitter flow rate
 - Emitter flow rate x emitters per acre x time of operation
- Use Manufacturers flow rates
 - Flow rate at operational pressure x time of operation x nozzles/acre

*Flow rate and time of operation must be in the same time unit





Determining Applied Water

Convert From Gallons per Acre to:

• Inches Applied

 $\frac{Gallons \ applied \ per \ acre}{27154^{*}} = \text{ Inches applied per acre}$

• Application Rate

 $\frac{Inches \ applied \ per \ acre}{time \ of \ operation} = Inches \ per \ hour \ (application \ rate)$

* 1 inch of water on 1 acre = 27154 gallons


1 inch

Irrigation Efficiency (IE) How well you—the irrigator—apply the correct amount of water to satisfy crop water use

If all the applied water is used by the crop IE = 100% Irrigation Efficiency




Not Efficient



Water Losses reduce IE:

Deep percolation below root zone in excess of that required for salt leaching or Surface runoff that is not reused

Irrigation Uniformity A measure of how evenly water is applied to the field



- Poor uniformity means that portions of the field are getting less water than others.
 - Causes poor plant performance due to water logging and nitrate leaching or plant water stress

Irrigation Efficiency and Distribution Uniformity

Irrigation Efficiency

Presuming we estimate crop water use and apply that amount of irrigation without deep percolation or runoff losses. We have good efficiency

Distribution Uniformity


The **distribution uniformity** is often calculated when performing an **irrigation** audit.


Measure flows or pressures at the emitters or sprinklers

DU = Ratio of lowest quartile to population average


Measuring DU

- Mobile irrigation lab
 - Several RCDs offer DU testing
- DIY
 - Use a graduated cylinder and stopwatch to measure emitter/sprinkler flow at various points in the system
 - Use a pressure gauge to measure uniformity of pressure across the field





Distribution Uniformity




The 75 % DU over and under applies 30 % of the average. The 90 % DU over and under applies 11% of the average.

Using a Distribution Uniformity (DU) Test Results

- The solution lies in improving DU to a point where there is minimal difference in the over and under-irrigation levels of the field and not to simply increase the applied water to ensure all areas get the desired amount.
- A DU of about 90% is ideal, as research has shown that trees for example are able to produce optimally with about 90% of full irrigation *.
- Fields with lower DU should be analyzed to determine the problem and solutions implemented to improve DU.

Improving Irrigation Efficiency and Distribution Uniformity


- Improved Irrigation Design
- Irrigation System Maintenance






Surface Irrigation Design Improvements

• Shortening field length




Increased field slope



Surface Irrigation Design Improvements

- Increase border check flow per foot of check
 - Same flow on two check widths



• Collect and reuse tailwater runoff



Pressurized Irrigation Design Improvements

- Use appropriate pressure regulators, filters, and emitters for system
- Use pressure-compensating (PC) drippers, microsprinklers, and sprinklers when pressure variations occur
 - Provide nearly constant discharge rate across a range of operating pressures
- Consider pipe sizing and how that affects pressures at emitter due to friction losses


Irrigation System Maintenance Pressurized systems

- Clean and flush filters, mainlines, submains and lateral lines regularly
- Walk the field and monitor for leaks and breaks frequently
- Check emitters for physical particles, biological and chemical clogging at least twice per season



Fertigation

- Inject N during the middle to near end of an irrigation event
 - Early injection can result in nitrogen moved out of the root zone
 - Late injection can result in fertilizer left in the system which can foster biological growth and cause plugging



Fertigation Injection Timing

- Injections should last at least 1 hour* for uniform application
 - When products are injected too quickly, there is insufficient time to distribute the fertilizer uniformly
- At least 1 hour* of clean water should follow to ensure uniform application.
 - All fertilizer should leave the lines

*depending on length of lines, shorter lateral lines may require less time for application and flush and longer lateral lines may require additional time.

Managing Salinity Leaching salts and not nitrate

- Periodic soil and irrigation water testing will help determine when leaching is needed
 - Leaching is not necessary every irrigation or perhaps even every season but only when soil salinity crop tolerances are approached.
- Leaching is most efficient in the winter and should not coincide with critical periods of nitrogen uptake and fertilization

Section 4 Summary

- Efficient irrigation practices are critical to good nitrogen management
- How do you become a more efficient irrigator?
 - Use weather, soil moisture, or crop water status information to understand irrigation needs
 - Measure applied water
 - Design and maintain high performing irrigation systems



Efficient Nitrogen Management

Section 5


Section 5 Learning Objectives

- Identify the 4R nitrogen management practices
- Apply the right rate equation to determine crop N demand
- Recognize the benefits of increasing Nitrogen Use Efficiency (NUE)
- Recall the components needed to calculate N contribution of organic materials
- Interpret lab reports to determine N contribution of irrigation water

Applying the 4R Principle

Right Rate	 Match supply with crop demand
Right Time	 Apply coincident with crop demand and uptake
Right Place	 Ensure delivery to active root zone
Right Source	• Supply nitrogen in plant available form


Apply the Right N Rate The right rate equation



Use the right rate equation to avoid excess N, increase nitrogen use efficiency, and increase profitability by accounting for all N inputs.

Right Rate: N Demand How to determine crop nitrogen demand

- Approach depends on proportion of N removed from the field during harvest and N left in the field as crop residues or perennial tissue
- Example: grain corn vs silage corn



Crop	Yield	Removal Rate	Total N Removed
Corn silage	30 ton/acre	7.56 lbs. N/ton	227 lbs. N/acre
Corn grain	6 ton/acre	24 lbs. N/ton	144 lbs. N/acre

The difference is the amount of N in the Stover 83 lbs. N/acre

If grain corn is provided with only 144 lbs. N/acre (N removed) reduced yield will occur

 Therefore, N should be provided to make up for N removed + N in crop residue

Right Rate: N Demand Examples

<u>ALMOND</u>

PISTACHIO

Nonpareil

• N removal 68 lb per 1000 kernels

Monterey

• N removal 65 lb per 1000 kernels

Growth Requirement

- Yield 2,000-4,000 = 0 lb N
- Yield 1,000-2,000 = 20 lb N
- Yield <1,000 = 30 lb N

Kerman:

• N removal 28 lb per 1000*

Growth Requirement:

- On-year: 25 lb N
- Off-year=25-40 lb N


*Dry CPC assessed yield Walnut

 N removal 19 lb per 1000 lb in shell 8% moisture

Growth Requirement:

- Mature orchard = included in above
- Immature orchard: not yet available

Nitrogen Use Efficiency (NUE) when most N is removed by crop



Examples: silage corn & mature orchards

Nitrogen Use Efficiency (NUE) when only part of N is removed with crop



 $NUE = \frac{Lbs \ N \ removed \ by \ crop + N \ for \ growth}{Lbs \ N \ applied \ all \ sources}$

Examples: immature orchards

Nitrogen Use Efficiency (NUE) when only part of N is removed with crop



 $NUE = \frac{Lbs \ N \ removed \ by \ crop + N \ in \ crop \ residue}{Lbs \ N \ applied \ all \ sources}$

Examples: grain corn, tomatoes, vegetables

Nitrogen Use Efficiency (NUE)

- What is a reasonable NUE ?
 - Achievable NUE= 70% (More of a target)
 - Average worldwide < 50%
- The highest efficiency is achieved by a combination of right rate, right time, right place and right source.
- Management of croplands to minimize Losses via volatilization, denitrification, runoff and leaching

Right Rate: N Demand Methods for Setting Realistic Yield Goals

- Use experience of the potential of a particular field and then consider environmental conditions.
 - For annuals, weather at planting can have a major effect.
 - For perennials, the past year's yield plus winter and spring weather can be critical.
- Set target of 10% above the field's 3-5 year average, excluding years with unusual negative conditions
 - Caution: Estimating too high of a yield can result in over application

Right Rate: N Demand N removal rates

Nitrogen concentrations in harvested

plant parts - A literature overview




Provides an overview of N removed in harvested plant parts for field crops, vegetables, and tree and vine crops.

Daniel Geisseler

2016


https://apps1.cdfa.ca.gov/FertilizerResearch/docs/Geisseler_Report_2016_12_02.pdf

Right Rate: N Demand Estimating total demand example: tomato



Estimating total demand example: Processing Tomato


- N removal with crop = 2.73 lbs. N/ton fresh weight
- N left in field with crop residue 1.17 lbs. N/ton
- Yield expected is 50 tons per acre
- Estimated crop demand?




Approximately 70% of the total aboveground N was in tomatoes, with the rest being in the vines ^[3].

Demand Function


Estimating total demand Example: Processing Tomatoes








Right Rate: N Supply N in the Soil




- Soil Nitrate Testing should be performed at planting or before side-dress
 - Testing through lab
 - Nitrate Quick Test
- Example
 - results = 20ppm NO₃-N in dry soil
 - 20 x 4 = 80 lbs. N/ac available in top foot of soil





Right Rate: N Supply N Mineralized in the Soil

- Organic matter applied to the soil, in-season, such as manure, compost, or cover crop residue will release N over time (mineralization)
 - N released will become available to plant for uptake




Right Rate: N Supply N Mineralized in the Soil

- Single application of organic matter
 - N credits = dry lbs. OM x % N x % decomposition 1st year
- Consistent application OM or growing of cover crop
 - N Contribution = Dry lbs. OM x % N x 70%

First Year Decomposition Rates			
Cured Compost	5-10%		
Dried Manure	20-30%		
Cover Crop	10-35%		
Lagoon Water	40-50%		

Continual application of the same amount of organic N each year 43 lbs N / acre

Cumulative Nitrogen Mineralization




In each subsequent year of application the available mineral N increases and a steady state is approached after about 4 years¹³⁶

Right Rate: N Supply N Mineralized in the Soil

- Example
 - 1st year applying cured compost @ 5 tons/ac
 - Expected 1st year decomposition rate 7.5%
 - % N estimated from lab report 2%

N credit = 10,000 lbs compost /ac x 0.02 x 0.075 N credit = 15 lbs N /ac





Right Rate: N Supply N in irrigation water

Formula for Nitrate-N

Nitrate-N concentration (ppm) x inches irrigation applied x 0.23


- Example
 - 2.3 ppm Nitrate-N and you apply 36 in. of water
 - 2.3 x 36 x 0.23 =

19 lb N per 36 inches of water applied


Right Rate: N Supply N in irrigation water


- What if your lab report lists your water as Nitrate (ppm)?
- Formula for converting Nitrate to Nitrate-N

Nitrate (ppm) ÷ 4.43 = Nitrate-N (ppm)









Demand – Residual N in soil - N mineralized – N in water =

Right Rate


Nutrient Balance: Law of the Minimum

- The efficiency of nitrogen depends on the adequacy of all essential elements and growth conditions
 - If a nutrient is inadequate yield can be lost and response to other elements will be limited
 - If a nutrient is oversupplied money, time, and energy is wasted




Right Time


• Match application timing with timing of crop nitrogen uptake



Right Time Almond Example



Right Time Almond Example



Recommended N Split:


- 1. 20% Leaf Out-Fruit Enlargement
- 30% Fruit Enlargement/30% Kernel Fill
- 20% Hull-split through early Post-Harvest*

* Less if July leaf samples show adequate N 146

Right Place

Where are the roots? Where does N uptake occur?

- How to manage
 - for a crop with a 1-foot rooting depth?
 - for a crop with a 4-foot rooting depth?



(Photo's Courtesy Tim Hartz and IPNI)

Right Place


Where are the roots? Where does N uptake occur?

	Main Root Activity and Effectiveness Main (inches)
Almond	8-23
Apricot	8-16
Cherry	4-16
Peach	0-32
Plum	10-24
Walnut	0-36

The Right Place

- Manage irrigation systems to ensure N is delivered in the root zone
 - Apply irrigation uniformly across the orchard
 - Apply the correct amount of irrigation water to prevent leaching and saturated soil conditions
 - Irrigate after dry fertilization to minimize NH₃ volatilization
 - Inject liquid fertilizers at a time to position the fertilizer where the roots are located

Right Place Surface Drip Example



Section 5 Summary

- The highest nitrogen use efficiency is achieved by the best combination of right rate, right time, right place and right source.
 - This requires understanding the dynamics of nitrogen in the soil and the plant and irrigation system performance to reduce nitrogen losses

Irrigation and Nitrogen Management Plan & Summary Report

Section 6

Irrigation and Nitrogen Plan & Summary

- Growers are responsible for:
 - Irrigation and Nitrogen Management Plans
 - (yearly, kept on farm)
 - Irrigation and Nitrogen Management Plan Summary Report
 - (yearly, submitted to Coalition)

Case Studies

- 2 practice case studies (walnut & silage corn)
- <u>Tear out the INMP</u> <u>worksheet in the back of</u> <u>your binder to follow along</u>

and an international states and an international states and and an international states and		T -1-1	
ember ID: INMP Field or MU:	Crop:	Total	Acres:
	IRRIGATION MANAGEMENT		
1. Irrigation Method*	Pre-Seaso	n Planning	
(check one for Primary; if applicable, oheo) one for Secondary) Primary Secondary ¹	2. Crop Evapotranspiration (ET, inches)		
Drip Micro Sprinkler Furrow Sprinkler	3. Anticipated Grop Irrigation (inches)		
Border Strip Flood	4. Inigation Water N Concentration (ppm or mg(L, as NO ₂ -N)		
5. Irrigation	Efficiency Practices* (Check all that	apply)	
Laser Leveling Use of ET in scheduling irrigations Water application schedule to need Use of moisture probe (e.g. tensiometer			
	ARVEST / YIELD INFORMATION		
Harvest / Yield	Information	Expected (A)	Actual (B)
6. Production Unit			
(lbs, tons, etc.)	7. Harvested Yield*		
hiii	7. Harvested Yield* NITROGEN MANAGEMENT		
(lbs, tons, etc.) 8. Nitrogen Efficiency Practices* (Check all that apply)		Recommended/ Planned N (A)	Actual N (B)
8. Nitrogen Efficiency Practices*	NITROGEN MANAGEMENT		
8. Nitrogen Efficiency Practices* (Check all that apply)	NITROCEN MANAGEMENT Nitrogen Sources 9. Soll – Available N in Root Zone		
8. Nitrogen Efficiency Practices* (Check all that apply) Split Fertilizer Applications Irrigation Water N Testing	Nincloceley MANAGE MENT Nitrogen Sources 9. Soil – Available N in Root Zone (Annualzed, Ibsiac) 10. N in Inrigation Water*		
Nitrogen Efficiency Practices" (Check all that apply) Split Fertilizer Applications Irrigation Water N Testing Soil Testing Tissue/Peticle Testing Fertigation Folar N Application	Nincloteleti MANAGE MENT Nitrogen Sources 9. Soll – Available N in Root Zone (Annualzed, Ibsiac) 10. N in Irrigation Water* (Annualzed, Ibsiac) 11. Organic Amendments*		
Nitrogen Efficiency Practices" (Check all that apply) Split Fertilizer Applications trigation Water N Testing Soil Testing Tissue/Petiole Testing	Nincooley MANAGEMENT Nitrogen Sources 9. Soil – Available N in Root Zone (Annualized, Itariao) 10. N in Inrigation Water* (Annualized, Itariao) 11. Organic Amendments* (Manue/CompositOther, Itariao estimate)		

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

¹ A secondary inigation system could be used for crop germination, first protection, crop cooling, etc. *(Bold Text) Data to be reported to the Coalition on the INMP Summary Report, based on Actual Vield and Actual N.

Walnut Case Study



Walnut: Conditions

- 100 acres Mature Walnuts
- Soil Clay Loam, 5ft deep over consolidated layer
- Estimated yield 3.0 tons per acre
- Seasonal Water Sources
 - Stored soil moisture = 4.5 in
 - In-season effective rainfall = 1.5 in
 - Irrigation = 36 in applied via solid set sprinkler
- Irrigation Scheduling
 - ET Estimation: 42 inches
 - Pressure chamber/ bomb
- Nitrogen sources
 - Irrigation 36 inches. Nitrate water test = 1.1 ppm Nitrate-N
 - UAN, Fertigation, Monthly
 - No organic material applied (manure or composts)
 - Winter cover crop (peas, beans, vetch, and barley) each year
 - Tissue testing

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Member ID #: 1234 Member Name: John Doe

2019

Was this management unit identified as a statistical outlier by the Coalition last year?

Crop Year (Harvested): ____

• Enter the membership ID #

- Enter the name of the person completing this form. This should be the owner or manager of the farm or the individual certifying the plan
- Enter the Crop Year for which your report is based on. Crop year for this plan is the 12 months prior to harvest

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

PARCEL MANAGEMENT					
Management Unit (MU) or Field	APN	County	Crop	Crop Age (Years)	Irrigated Acres
1-1 Walnut	002-025-016	Stanislaus	Walnut	12	100
	Total Acres:				

- Enter the Field Identification (ID) for each unique management unit.
- Enter the Assessor's Parcel Number (APN). If field has more than one APN enter both.
- Also include county, crop, crop age, and irrigated acreage.

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Member ID: 1234

INMP Field or MU: 1-1 Walnut

Crop: Walnut

Total Acres: 100

	IRRIGATION MANAGEMENT				
	1. Irrigation Method*		Pre-Season	Planning	
		ry; if applicable, check Secondary) / ¹	2. Crop Evapotranspiration (ET, inches)		
		Drip Micro Sprinkler Furrow Sprinkler	3. Anticipated Crop Irrigation (inches)		
		Border Strip Flood	 Irrigation Water N Concentration (ppm or mg/L, as NO₃-N) 		
		5. Irrigation E	Efficiency Practices* (Check all that a	apply)	
 Laser Leveling Use of ET in scheduling irrigations Water application schedule to need Use of moisture probe (e.g. tensiometer) 		schedule to need	 Soil Moisture Neutro Pressure Bomb Other Other 		

Walnut: Conditions

- 100 acres Mature Walnuts
- Soil Clay Loam, 5ft deep over consolidated layer
- Estimated yield 3.0 tons per acre Seasonal Water Sources
 - Stored soil moisture = 4.5 in
 - In-season effective rainfall = 1.5 in
 - Irrigation = 36 in applied via solid set sprinkler
- Irrigation Scheduling
 - ET Estimation: 42 inches
 - Pressure chamber/ bomb
- Nitrogen sources
 - Irrigation 36 inches. Nitrate water test = 1.1 ppm Nitrate-N
 - UAN, Fertigation, Monthly
 - No organic material applied (manure or composts)
 - Winter cover crop (peas, beans, vetch, and barley) each year
 - Tissue testing

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Member ID: 1234 INMP Field or MU: 1-1 Walnut Crop: Walnut Total Acres: 100

	IRRIGATION MANAGEMENT					
	1. Irrigation Method*			Pre-Season Planning		
(c	(check one for Primary; if applicable, check one for Secondary) Primary Secondary ¹		2. Crop Evap (ET, inches)	otranspiration	42	
		Drip Micro Sprinkler				
		Micro Sprinkler Furrow	3. Anticipated (inches)	d Crop Irrigation	36	
	X 🗆	Sprinkler Border Strip	4. Irrigation V	ater N Concentration		
		Flood		., as NO ₃ -N)	1.1	
	5. Irrigation Efficiency Practices* (Check all that apply)					
	Laser Leveling			Soil Moisture Neutror	n Probe	
X	Use of ET in scheduling irrigations			Pressure Bomb		
X	Water application schedule to need			 Other Other 		

	Н	ARVEST / YIELD INFORMATION		
	Harvest / Yield	Information	Expected (A)	Actual (B)
6. Production Unit (lbs, tons, etc.)		7. Harvested Yield*		
		NITROGEN MANAGEMENT		
•	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)
🗌 Split Fertilizer App	lications	9. Soil – Available N in Root Zone (Annualized, Ibs/ac)		
Irrigation Water N Testing Soil Testing		10. N in Irrigation Water* (Annualized, lbs/ac)		
☐ Tissue/Petiole Tes ☐ Fertigation	sting	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)		
☐ Foliar N Applicatio	n	12. Dry/Liquid Fertilizer N* (lbs/ac)		
☐ Variable Rate Applications using GPS ☐ Other:		13. Foliar Fertilizer N* (lbs/ac)		
Other:		14. TOTAL NITROGEN (lbs/ac)		


Walnut: Conditions

- 100 acres Mature Walnuts
- Soil Clay Loam, 5ft deep over consolidated layer
- Estimated yield 3.0 tons per acre for 2019
- Seasonal Water Sources
 - Stored soil moisture = 4.5 in
 - In-season effective rainfall = 1.5 in
 - Irrigation = 36 in applied via solid set sprinkler
- Irrigation Scheduling
 - ET Estimation: 42 inches
 - Pressure chamber/ bomb
- Nitrogen sources
 - Irrigation 36 inches. Nitrate water test = 1.1 ppm Nitrate-N
 - UAN, Fertigation, Monthly
 - No organic material applied (manure or composts)
 - Winter cover crop (peas, beans, vetch, and barley) each year
 - Tissue testing


	Н	ARVEST / YIELD INFORMATION		
	Harvest / Yield	Information	Expected (A)	Actual (B)
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	3	
		NITROGEN MANAGEMENT		
8. Nitrogen Efficie (Check all t	-	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)
Split Fertilizer Appli	cations	9. Soil – Available N in Root Zone (Annualized, Ibs/ac)		
Irrigation Water N T Soil Testing	esting	10. N in Irrigation Water* (Annualized, lbs/ac)		
 Tissue/Petiole Test Fertigation 	ing	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)		
 Foliar N Application Cover Crops 	1	12. Dry/Liquid Fertilizer N* (lbs/ac)		
 Variable Rate Applications using GPS Other: 		13. Foliar Fertilizer N* (lbs/ac)		
Other:		14. TOTAL NITROGEN (lbs/ac)		

	н	ARVEST / YIELD INFORMATION		
	Harvest / Yield	Information	Expected (A)	Actual (B)
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	3	
		NITROGEN MANAGEMENT		
•	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)
Split Fertilizer App	lications	9. Soil – Available N in Root Zone (Annualized, lbs/ac)		
Irrigation Water N Testing Soil Testing		10. N in Irrigation Water* (Annualized, lbs/ac)		
 Tissue/Petiole Testing Fertigation 		11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)		
 Foliar N Application Cover Crops 		12. Dry/Liquid Fertilizer N* (lbs/ac)		
Uariable Rate App	-	13. Foliar Fertilizer N* (lbs/ac)		
Other: Other:		14. TOTAL NITROGEN (lbs/ac)	?	

Right Rate: N Recommended Box 14




Right Rate: N Recommended Box 14



	н	ARVEST / YIELD INFORMATION		
	Harvest / Yield	Information	Expected (A)	Actual (B)
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	3	
		NITROGEN MANAGEMENT		
•	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)
📕 Split Fertilizer App	lications	9. Soil – Available N in Root Zone (Annualized, lbs/ac)		
Irrigation Water N Testing Soil Testing		10. N in Irrigation Water* (Annualized, lbs/ac)		
Tissue/Petiole Tes Fertigation	sting	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)		
 Foliar N Application Cover Crops 		12. Dry/Liquid Fertilizer N* (lbs/ac)		
 Variable Rate Applications using GPS Other: Other: 		13. Foliar Fertilizer N* (lbs/ac)		
		14. TOTAL NITROGEN (lbs/ac)	159	

Estimating Supply




Walnut: Conditions

- 100 acres Mature Walnuts
- Soil Clay Loam, 5ft deep over consolidated layer
- Estimated yield 3.0 tons per acre for 2019
- Seasonal Water Sources
 - Stored soil moisture = 4.5 in
 - In-season effective rainfall = 1.5 in
 - Irrigation = 36 in applied via solid set sprinkler
- Irrigation Scheduling
 - ET Estimation: 42 inches
 - Pressure chamber/ bomb
- Nitrogen sources
 - Irrigation 36 inches. Nitrate water test = 1.1 ppm Nitrate-N
 - UAN, Fertigation, Monthly
 - No organic material applied (manure or composts)
 - Winter cover crop (peas, beans, vetch, and barley) each year
 - Tissue testing

Organic Material N Box 11

- Cover Crop: Peas, beans, vetch, and barley
 - 3000 lbs Dry Matter/ cover crop planted acre
 - 60 % of total tree acreage planted
 - 3000 x 0.60 = 1800 lbs. dry matter / ac
- Legumes = 2.8% N Grasses 1.5% N
 - average of mix = 2.4% N
 - 1800 lbs. x .024 = 43 lbs. N /ac
 - At 70% efficiency: 43 x .70 = 30 lbs. N /acre


Estimating Supply




N in Irrigation Water Box 10

- Irrigation Water
 - 36 inches / season applied via solid set sprinkler
 - Nitrate from water test = 1.1 ppm Nitrate-N
- Formula for Nitrate-N
 - Nitrate-N concentration (ppm) x inches irrigation applied x 0.23 lbs/ac inch conversion
- 1.1 ppm Nitrate-N x 36 in. x 0.23 = 9 lbs. N /ac

Estimating Supply



Estimating Supply



	Н	ARVEST / YIELD INFORMATION		
	Harvest / Yield	Information	Expected (A)	Actual (B)
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	3	
		NITROGEN MANAGEMENT		
-	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)
Split Fertilizer App	lications	9. Soil – Available N in Root Zone (Annualized, Ibs/ac)	0	
 Irrigation Water N Testing Soil Testing Tissue/Petiole Testing Fertigation 		10. N in Irrigation Water* (Annualized, lbs/ac)	9	
		11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)	30	
 Foliar N Application Cover Crops 	n	12. Dry/Liquid Fertilizer N* (lbs/ac)	120	
Variable Rate Applications using GPS Other:		13. Foliar Fertilizer N* (lbs/ac)	0	
Other:		14. TOTAL NITROGEN (lbs/ac)	159	

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

	н	ARVEST / YIELD INFORMATION		
	Harvest / Yield	Information	Expected (A)	Actual (B)
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	3	
		NITROGEN MANAGEMENT		
-	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)
Split Fertilizer App	lications	9. Soil – Available N in Root Zone (Annualized, lbs/ac)	0	
Irrigation Water N Testing Soil Testing		10. N in Irrigation Water* (Annualized, lbs/ac)	9	
Tissue/Petiole Tes Fertigation	sting	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)	30	
 Foliar N Application Cover Crops 	n	12. Dry/Liquid Fertilizer N* (lbs/ac)	120	
└── Variable Rate App └── Other: └──	-	13. Foliar Fertilizer N* (lbs/ac)	0	
Other:		14. TOTAL NITROGEN (lbs/ac)	159	

JD

Recording Actual Values

- At the end of the season you have:
 - Produced a yield of 3.2 tons
 - Applied a total of 170 lbs. of N
 - Including contributions:

 cover crop 	30 lb N
--------------------------------	---------

- irrigation water 9 lb N
- Fertilizer 131 lb N

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

HARVEST / YIELD INFORMATION						
Harvest / Yield Information		Expected (A)	Actual (B)			
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	3	3.2		
NITROGEN MANAGEMENT						
8. Nitrogen Efficiency Practices* (Check all that apply)		Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)		
 Split Fertilizer Applications Irrigation Water N Testing Soil Testing Tissue/Petiole Testing Fertigation Foliar N Application Cover Crops Variable Rate Applications using GPS Other:		9. Soil – Available N in Root Zone (Annualized, Ibs/ac)	0			
		10. N in Irrigation Water* (Annualized, lbs/ac)	9	9		
		11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)	30	30		
		12. Dry/Liquid Fertilizer N* (lbs/ac)	120	131		
		13. Foliar Fertilizer N* (lbs/ac)	0			
		14. TOTAL NITROGEN (lbs/ac)	159	170		

JD

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Certification:

- Certified INMP Specialist (e.g. Certified Crop Adviser who has completed the CDFA training program)
- Self-Certified by Member who has completed the CDFA training program
- Self-Certified by Member who follows NRCS or UC site-specific recommendations (documentation required)
- I do not apply nitrogen

certify this INMP in accordance with the statement above.

(Signature)

(Date)

If the certifier is not the Member, the Member additionally agrees as follows:

I, ______, Member, have provided information and data to the certifier above that is, to the best of my knowledge and belief, true, accurate, and complete, that I understand that the certifier may rely on the information and data provided by me and is not required to independently verify the information and data, and that I further understand that the certifier is not responsible for any damages, loss, or liability arising from subsequent implementation of the INMP by me in a manner that is inconsistent with the INMP's recommendations for nitrogen application. I further understand that the certification does not create any liability for claims for environmental violations.

(Signature)	(Date)	100
	、 ,	180

ILRP PARCEL AND FIELD INVENTORY

STEP 1: GENERAL INFORMATION						
Member ID: 12	234 Crop Year (harvested): _	2019				
N	Name: John Doe					
STEP 2: FIELD AND PARCEL INVENTORY						

Populate the following table with parcels for which the INMP Summary Report is being submitted. You can define a field or a "Management Unit" as a parcel or parcels with the same crop, fertilizer inputs, irrigation management practices, and nitrogen management practices.

If you do not apply nitrogen fertilizer to your fields these forms are still required to be returned. Please enter a 0 (zero) for nitrogen applied on the INMP Summary Report.

Field ID or Management Unit (MU)	Not Farmed [*]	APN	County	Сгор	Crop Age (Perennial only)	Irrigated Acres
1-1 Walnut		002-025-016	Stanislaus	Walnut	12	100

Refer to your Irrigation and Nitrogen Management Plan (INMP) Worksheet and Parcel Inventory for information to complete an INMP Summary. Report for each field or Management Unit.

STEP 1: GENERAL INFORMATION	STEP 2: OUTLIER NOTIFICATION RECEIPT	STEP 3: INMP CERTIFICATION METHOD
Member ID:	The Coalition provided information about this membership's nitrogen efficiency for the	Certified INMP Specialist (e.g. certified crop adviser who has completed the CDFA
Forms	previous crop year and identified management units that were considered outliers compared	training program)
Completed By:	to other Coalition members growing the same crop.	Self-Certified (CDFA training program)
Crop Year		Self-Certified (follows NRCS or UC
(Harvested):	Please check the box below if you were identified as an outlier by the Coalition.	Cooperative Extension site-specific recommendations)
		Self-Certified (No fertilizers applied)

- 1. Enter the membership ID #
- 2. Enter the name of the person completing this form. This needs to be the owner or manager of the farm or the individual certifying the plan
- 3. Enter the Crop Year for which your report is based on
- 4. Enter Date form is filled out

Refer to your Irrigation and Nitrogen Management Plan (INMP) Worksheet and Parcel Inventory for information to complete an INMP Summary. Report for each field or Management Unit.

STEP 1: GENERAL INFORMATION	STEP 2: OUTLIER NOTIFICATION RECEIPT	STEP 3: INMP CERTIFICATION METHOD
Member ID:	The Coalition provided information about this membership's nitrogen efficiency for the	Certified INMP Specialist (e.g. certified crop adviser who has completed the CDFA
Forms	previous crop year and identified management units that were considered outliers compared	training program)
Completed By:	to other Coalition members growing the same crop.	Self-Certified (CDFA training program)
Crop Year		Self-Certified (follows NRCS or UC
(Harvested):	Please check the box below if you were identified as an outlier by the Coalition.	Cooperative Extension site-specific
Submittal Date:		recommendations)
		Self-Certified (No fertilizers applied)

- The Coalition provided information about this membership's nitrogen efficiency for the previous crop year and identified management units that were considered outliers compared to other Coalition members growing the same crop.
 - Check the box if you were identified

Refer to your Irrigation and Nitrogen Management Plan (INMP) Worksheet and Parcel Inventory for information to complete an INMP Summary. Report for each field or Management Unit.

STEP 1: GENERAL INFORMATION	STEP 2: OUTLIER NOTIFICATION RECEIPT	STEP 3: INMP CERTIFICATION METHOD
Member ID:	The Coalition provided information about this membership's nitrogen efficiency for the	Certified INMP Specialist (e.g. certified crop adviser who has completed the CDFA
Forms	previous crop year and identified management units that were considered outliers compared	training program)
Completed By:	to other Coalition members growing the same crop.	Self-Certified (CDFA training program)
Crop Year		Self-Certified (follows NRCS or UC
(Harvested):	Please check the box below if you were	Cooperative Extension site-specific
Submittal Date:	identified as an outlier by the Coalition.	recommendations)
		Self-Certified (No fertilizers applied)

- Certified Crop Adviser with Nitrogen Management Training (Any crop and any field)
- Grower Self-Certification (Owned or managed fields only)

STEP 4: INMP SUMMARY REPORT Complete the table below for each field or management unit for this membership. All values should be on a per acre basis.										
Field or Management Unit	Сгор	Crop Age	Total Irrigated Acres		Total N Applied Lbs/acre				Prod. Unit	Yield Info*
Refer to Parcel Inventory		Perennial only (years)	(acres)	N in Irrigation Water (Ibs/acre)	Irrigation Water (Ibs/acre) (Ibs/acre) (Ibs/acre) (Ibs/acre)					
1-1 walnut Walnut 12 100 9 30 131 0 3.2 tons										

- Information sourced from Irrigation and Nitrogen Management Plan
 - Post Production Actual Values

IRRIGATION & NITROGEN MANAGEMENT PRACTICES

Complete the following tables for each field or Management Unit (refer to ILRP Parcel and Field Inventory Sheet).

	Primary Irrigation Method (Select one)						Secondary Irrigation Method (Select one)					
Field or MU	Drip	Micro Sprinkler	Furrow	Sprinkler	Border Strip	Flood	Drip	Micro Sprinkler	Furrow	Sprinkler	Border Strip	Flood
1-1 Walnu	t 🗌											

		Irrigation Efficiency Practices (Check all that apply)					
	Laser Leveling	Use of ET in scheduling irrigations	Water application scheduled to need	Use of moisture probe (e.g. tensiometer)	Soil Moisture Neutron Probe	Pressure Bomb	Other
Field or MU							
1-1 Walnut							

IRRIGATION & NITROGEN MANAGEMENT PRACTICES

Complete the following tables for each field or Management Unit (refer to ILRP Parcel and Field Inventory Sheet).

		Nitroge	n Effici	iency P	ractices	(Check al	l that a	apply)	
Field or MU	Split Fertilizer Applications	Irrigation Water N Testing	Soil Testing	Tissue/ Petiole Testing	Fertigation	Foliar N Application	Cover Crops	Variable Rate Applications using GPS	Other
1-1 Walnut									
	-		•	•	•	-		•	_

Silage Corn Irrigation and Nitrogen Management Plan / Summary

Corn Silage: Conditions

- 40 acres silage corn
- Soil- sandy loam
- Seasonal Water Sources
 - Stored soil moisture = 1.0 in
 - In-season effective rainfall = 0 in
 - Irrigation = 36 in applied Irrigation water as furrow irrigation
- Irrigation Scheduling
 - ET Estimation: 24 inches
- Nitrogen Sources
 - Soil analysis pre-plant
 - Water test = 9.0 ppm Nitrate-N with ET = 24 in
 - Applied fertilizer, starter plus side dress
 - Corral manure applied
- Estimated yield 30 tons per acre

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Member ID #:

1234

Member Name:

John Doe

Was this management unit identified as a statistical outlier by the Coalition last year?

Crop Year (Harvested): 2019

	PARCEL MANAGEMENT							
Management Unit (MU) or Field APN County Crop Crop Age (Years) Irrigated Acres								
1-2 corn	005-234-5678	San Joaquin	Silage Corn		40			


IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Member ID: 1234	INMP Field or MU: 1-2 corn	Crop: COrn	Total Acres: 40
-----------------	----------------------------	------------	-----------------

	IRRIGATION MANAGEMENT								
	1. Irri	gation Method*		Pre-Season	Planning				
(0	(check one for Primary; if applicable, check one for Secondary) Primary Secondary ¹			otranspiration	24				
	Drip Micro Sprinkler Furrow		3. Anticipated (inches)	d Crop Irrigation	36				
		Sprinkler Border Strip Flood		Vater N Concentration _, as NO ₃ -N)	9.0				
		5. Irrigation E	Efficiency Pra	ctices* (Check all that a	pply)				
X	Water application	neduling irrigations on schedule to need probe (e.g. tensiometer)		 Soil Moisture Neutro Pressure Bomb Other Other 	n Probe				


HARVEST / YIELD INFORMATION										
	Harvest / Yield Information									
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	30							
		NITROGEN MANAGEMENT								
8. Nitrogen Efficie (Check all t	-	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)						
Split Fertilizer Applications		9. Soil – Available N in Root Zone (Annualized, Ibs/ac)								
Irrigation Water N Testing Soil Testing		10. N in Irrigation Water* (Annualized, lbs/ac)								
 Tissue/Petiole Test Fertigation 	ing	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)								
 Foliar N Application Cover Crops 	1	12. Dry/Liquid Fertilizer N* (lbs/ac)								
 Variable Rate Appli Other: 		13. Foliar Fertilizer N* (lbs/ac)								
Other:		14. TOTAL NITROGEN (lbs/ac)	?							

Right Rate: N Recommended Box 14



	Н	ARVEST / YIELD INFORMATION				
	Harvest / Yield Information					
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	30			
		NITROGEN MANAGEMENT				
-	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)		
Split Fertilizer Applications		9. Soil – Available N in Root Zone (Annualized, Ibs/ac)				
 Irrigation Water N Soil Testing 	Testing	10. N in Irrigation Water* (Annualized, lbs/ac)				
☐ Tissue/Petiole Tes	sting	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)				
☐ Foliar N Applicatio	on	12. Dry/Liquid Fertilizer N* (lbs/ac)				
 Variable Rate Applications using GPS Other: Other: 		13. Foliar Fertilizer N* (lbs/ac)				
		14. TOTAL NITROGEN (lbs/ac)	415			






Soil Available Nitrogen Box 9

- Soil test pre plant
- Mineral N available in the top 2 feet of soil
 - 2 ft x 33 lbs. N/ft =

66 lbs. N/acre

Primary Nutrients								
Nitrate-Nitrogen	33.0 Lbs/AF							
Phosphorus-P ₂ O ₅	174 Lbs/AF							
Potassium-K ₂ O (Exch)	1020Lbs/AF							
Potassium-K ₂ O (Sol)	125 Lbs/AF							


Apply the Right N Rate The right rate equation



Organic Amendments Box 11

- 5th year applying corral manure @ 5 tons/ac
- % N estimated from lab report 0.83%
- N credit = 10,000 lbs. compost /ac x 0.0083 x 0.70
- N credit = 58 lbs N /ac

Apply the Right N Rate The right rate equation




N in Irrigation Water Box 10

- Crop Water Use: 24 inches ETc
 - Depending on location, time of planting, corn variety, and weather the ET of corn can range from 21-27 in.
- If more water is being applied than crop ET some water is leaching and the crop is not using all N applied.
 - In this case, only the amount of N in the ET water volume should be credited.

N in Irrigation Water Box 10

- Irrigation Water
 - 24 inches
 - Water test = 9.0 ppm Nitrate-N
- Formula for Nitrate-N
 - Nitrate-N concentration (ppm) x inches irrigation applied x 0.23 lbs/ac inch conversion
- 9.0 ppm Nitrate-N x 24 in. x 0.23 = 50 lbs. N /ac





Demand – N in soil - N mineralized – N in water •

	Н	ARVEST / YIELD INFORMATION				
	Harvest / Yield Information					
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	30			
		NITROGEN MANAGEMENT				
•	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)		
 Split Fertilizer Applications Irrigation Water N Testing Soil Testing 		9. Soil – Available N in Root Zone (Annualized, Ibs/ac)	66			
		10. N in Irrigation Water* (Annualized, lbs/ac)	50			
☐ Tissue/Petiole Tes ☐ Fertigation	sting	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)	58			
 Foliar N Application Cover Crops Variable Rate Applications using GPS Other: Other: 		12. Dry/Liquid Fertilizer N* (lbs/ac)	241			
		13. Foliar Fertilizer N* (lbs/ac)	0			
		14. TOTAL NITROGEN (lbs/ac)	415			

Recording Actual Values in NMP

- At the end of the season you have:
 - Produced a yield of 30.5 tons /ac
 - Applied a total of 424 lbs. of N
 - Including contributions:
 - Soil N Test 66 lbs. N
 - Organic amendments 58 lbs. N
 - irrigation water 50 lbs. N
 - Fertilizer 250 lbs. N

	Н	ARVEST / YIELD INFORMATION				
	Harvest / Yield Information					
6. Production Unit (lbs, tons, etc.)	tons	7. Harvested Yield*	30	30.5		
		NITROGEN MANAGEMENT				
-	ciency Practices* that apply)	Nitrogen Sources	Recommended/ Planned N (A)	Actual N (B)		
 Split Fertilizer Applications Irrigation Water N Testing Soil Testing 		9. Soil – Available N in Root Zone (Annualized, lbs/ac)	66	66		
		10. N in Irrigation Water* (Annualized, lbs/ac)	50	50		
☐ Tissue/Petiole Tes	sting	11. Organic Amendments* (Manure/Compost/Other, lbs/ac estimate)	58	58		
☐ Foliar N Applicatio	on	12. Dry/Liquid Fertilizer N* (lbs/ac)	241	250		
 Variable Rate Applications using GPS Other: Other: 		13. Foliar Fertilizer N* (lbs/ac)	0	0		
		14. TOTAL NITROGEN (lbs/ac)	415	424		

IRRIGATION AND NITROGEN MANAGEMENT PLAN (INMP) WORKSHEET

Certification:

- Certified INMP Specialist (e.g. Certified Crop Adviser who has completed the CDFA training program)
- Self-Certified by Member who has completed the CDFA training program
- Self-Certified by Member who follows NRCS or UC site-specific recommendations (documentation required)
- I do not apply nitrogen

certify this INMP in accordance with the statement above.

(Signature)

(Date)

If the certifier is not the Member, the Member additionally agrees as follows:

I, ______, Member, have provided information and data to the certifier above that is, to the best of my knowledge and belief, true, accurate, and complete, that I understand that the certifier may rely on the information and data provided by me and is not required to independently verify the information and data, and that I further understand that the certifier is not responsible for any damages, loss, or liability arising from subsequent implementation of the INMP by me in a manner that is inconsistent with the INMP's recommendations for nitrogen application. I further understand that the certification does not create any liability for claims for environmental violations.

(Signature)	(Date)	
		206

ILRP PARCEL AND FIELD INVENTORY

STEP 1: GENERAL INFORMATION										
Member ID:	1234	Crop Year (harvested):	2019							
	Name:	lohn Doe								
STEP 2: FIELD AND PARCEL INVENTORY										

Populate the following table with parcels for which the INMP Summary Report is being submitted. You can define a field or a "Management Unit" as a parcel or parcels with the same crop, fertilizer inputs, irrigation management practices, and nitrogen management practices.

If you do not apply nitrogen fertilizer to your fields these forms are still required to be returned. Please enter a 0 (zero) for nitrogen applied on the INMP Summary Report.

Field ID or Management Unit (MU)	Not Farmed [*]	APN	County	Сгор	Crop Age (Perennial only)	Irrigated Acres
1-1 Corn		005-234-5678	San Joaquin	Corn		40

Refer to your Irrigation and Nitrogen Management Plan (INMP) Worksheet and Parcel Inventory for information to complete an INMP Summary. Report for each field or Management Unit.

STEP 1: GENERAL INFORMATION	STEP 2: OUTLIER NOTIFICATION RECEIPT	STEP 3: INMP CERTIFICATION METHOD
Member ID:	The Coalition provided information about this membership's nitrogen efficiency for the previous crop year and identified management units that were considered outliers compared	Certified INMP Specialist (e.g. certified crop adviser who has completed the CDFA training program)
Completed By:	to other Coalition members growing the same crop.	Self-Certified (CDFA training program)
Crop Year (Harvested):	Please check the box below if you were identified as an outlier by the Coalition.	 Self-Certified (follows NRCS or UC Cooperative Extension site-specific recommendations)
		Self-Certified (No fertilizers applied)

1. Enter the membership ID #

Enter the name of the person completing this form. This needs to be the owner or manager of the farm or the individual certifying the plan Enter the Crop Year for which your report is based on Enter Date form is filled out

- The Coalition provided information about this membership's nitrogen efficiency for the previous crop year and identified management units that were considered outliers compared to other Coalition members growing the same crop. Check the box if you were identified
- 3. Certified Crop Adviser with Nitrogen Management Training (Any crop and any field) Grower Self-Certification (Owned or managed fields only)

STEP 4: INMP SUMMARY REPORT Complete the table below for each field or management unit for this membership. All values should be on a per acre basis.												
Field or Management Unit	Сгор	Crop Age	Total Irrigated Acres		Total N Applied Yiel Lbs/acre				Prod. Unit	Yield Info*		
Refer to Parcel Inventory		Perennial only (years)	(acres)	N in Irrigation Water (Ibs/acre)	Organic Amendments (Ibs/acre)	Dry/Liquid Fertilizers (Ibs/acre)	Foliar Fertilizers (Ibs/acre)	Harvested Yield (Ibs/acre or tons/acre)	(lbs or tons)			
1-1 Corn	Corn		40	50	58	250	0	30.5	tons	silage		

- Information sourced from Irrigation and Nitrogen Management Plan
 - Post Production Actual Values

IRRIGATION & NITROGEN MANAGEMENT PRACTICES

Complete the following tables for each field or Management Unit (refer to ILRP Parcel and Field Inventory Sheet).

	Primary Irrigation Method (Select one)						Second	-	igation I ct one)	Method		
Field or MU	Drip	Micro Sprinkler	Furrow	Sprinkler	Border Strip	Flood	Drip	Micro Sprinkler	Furrow	Sprinkler	Border Strip	Flood
1-2 Corn												

		Irrigation Efficiency Practices (Check all that apply)										
	Laser Leveling	Use of ET in scheduling irrigations	Water application scheduled to need	Use of moisture probe (e.g. tensiometer)	Soil Moisture Neutron Probe	Pressure Bomb	Other					
Field or MU												
1-2 Corn												

IRRIGATION & NITROGEN MANAGEMENT PRACTICES

Complete the following tables for each field or Management Unit (refer to ILRP Parcel and Field Inventory Sheet).

	Nitrogen Efficiency Practices (Check all that apply)								
Field or MU	Split Fertilizer Applications	Irrigation Water N Testing	Soil Testing	Tissue/ Petiole Testing	Fertigation	Foliar N Application	Cover Crops	Variable Rate Applications using GPS	Other
1-2 Corn									

Resources for Nitrogen Application and Management Practices Section 7

The last chapter in the Curriculum Binder is for your reference to irrigation and nitrogen management "go to" websites.

Irrigation and Nitrogen Management Grower Certification Program Exam

- 30 Questions
 - Multiple Choice, True/False, and Irrigation and Nitrogen Management Plan Fill-in
- Test Score
 - 70% to pass (21/30 correct)
- Test Rules
 - Individual
 - Closed book
- Results
 - Sent via email or mail (if no email provided) in 2-3 weeks

Alternative Options for Exam

- You may skip the test today, study the materials and return to take the test at an upcoming meeting or call the coalition office for details on taking it at their office
- If you do not pass (70%), you may take a re-test at another grower training session (you will not need to sit through the whole course, just take the test) or at the coalition office.
 - Average pass rate is 80%
- You can elect not to take the test and work with a Certified Crop Advisor for INMP certification.